§810.1803

ground-damaged, badly weather-damaged, diseased, frost-damaged, heat-damaged, mold-damaged, sprout-damaged, or otherwise materially damaged.

- (c) *Dehulled seed*. Sunflower seed that has the hull completely removed from the sunflower kernel.
- (d) Foreign material. All matter other than whole sunflower seeds containing kernels that can be removed from the original sample by use of an approved device and by handpicking a portion of the sample according to procedures prescribed in FGIS instructions.
- (e) Heat-damaged sunflower seed. Seed and pieces of sunflower seed that are materially discolored and damaged by heat.
- (f) *Hull (Husk)*. The ovary wall of the sunflower seed.

(g) *Kernel*. The interior contents of the sunflower seed that are surrounded by the hull.

PRINCIPLES GOVERNING THE APPLICATION OF STANDARDS

§810.1803 Basis of determination.

Each determination of heat-damaged kernels, damaged kernels, test weight per bushel, and dehulled seed is made on the basis of the grain when free from foreign material. Other determinations not specifically provided for in the general provisions are made on the basis of the grain as a whole, except the determination of odor is made on either the basis of the grain as a whole or the grain when free from foreign material.

GRADES AND GRADE REQUIREMENTS

$\S 810.1804$ Grades and grade requirements for sunflower seed.

Grade	Minimum test weight per bushel (pounds)	Maximum limits of—		
		Damaged Sunflower Seed		Dehulled
		Heat Dam- aged (per- cent)	Total (Per- cent)	seed (per- cent)
U.S. No. 1	25.0 25.0	0.5 1.0	5.0 10.0	5.0 5.0

U.S. Sample grade—

Subpart L—United States Standards for Triticale

TERMS DEFINED

§810.2001 Definition of triticale.

Grain that, before the removal of dockage, consists of 50 percent or more of triticale (*X Triticosecale* Wittmack) and not more than 10 percent of other grains for which standards have been established under the United States Grain Standards Act and that, after the removal of dockage, contains 50 percent or more of whole triticale.

§810.2002 Definition of other terms.

- (a) Damaged kernels. Kernels, pieces of triticale kernels, and other grains that are badly ground-damaged, badly weather-damaged, diseased, frost-damaged, germ-damaged, heat-damaged, insect-bored, mold-damaged, sprout-damaged, or otherwise materially damaged.
- (b) *Defects.* Damaged kernels, foreign material, and shrunken and broken kernels. The sum of these three factors may not exceed the limit for the factor defects for each numerical grade.
- (c) *Dockage*. All matter other than triticale that can be removed from the original sample by use of an approved

U.S. Sample grade is sunflower seed that:

⁽a) Does not meet the requirements for the grades U.S. Nos. 1 or 2; or

⁽b) Contains 8 or more stones which have an aggregate weight in excess of 0.20 percent of the sample weight, 2 or more pieces of glass, 3 or more crotalaria seeds (*Crotalaria* spp.), 2 or more castor beans (*Ricinus communis* L.), 4 or more particles of an unknown foreign substance(s), or a commonly recognized harmful or toxic substance(s), 10 or more rodent pellets, bird droppings, or equivalent quantity of other animal filth per 600 grams of sunflower seed; or

⁽c) Has a musty, sour, or commercially objectionable foreign odor; or

⁽d) Is heating or otherwise of distinctly low quality.